

# CATALYTIC COMBUSTOR CROSS REFERENCE

Manufacturer & Model	Size of Catalyst (Each)	Order 1 Unit Unless Noted	Item #
<b>AMERICAN EAGLE</b>			
Early Models (Pre 1991)	5.66" round x 3" with metal band		3420
Later Models (1991-Up)	5.66" round x 2" with metal band		3408
<b>AMERICAN ROAD</b>			
All Models	5.66" round x 2" with metal band		3408
<b>APPALACHIAN</b>			
Gemini GXL's, Same As 4N1 XL-Models (Models Before 1989)	1.875" x 6.875" x 2"	2 Required	3400
(Models After 1989)	2.5" x 5.563" x 3" with a notch	2 Required	3450
Note: Gemini GXLB Please check size. Some 32-BW models take only 2 pieces			
	1.875" x 6.875" x 2"	2 Required	3400
The following unit requires 4 catalyts (2 each of the following)			
Gemini GXLB's, Same as 32-BW (Models Before 1989)	1.875" x 6.875" x 1"	2 Required AND	3448
	1.875" x 6.875" x 2"	2 Required	3400
(Models After 1989)	2.5" x 6.875" x 3" with a notch	2 Required	3452
4N1-XL Trailmaster	1.875" x 6.875" x 2"	2 Required	3400
4N1-XLII Trailmaster	2.5" x 5.563" x 3" with a notch	2 Required	3450
The following unit requires 4 catalyts (2 each of the following)			
36 BW Model 1988 & Before	1.875" x 6.875" x 1"	2 Required AND	3448
	1.875" x 6.875" x 2"	2 Required	3400
36 BW Model After 1988	2.5" x 6.875" x 3" with a notch	2 Required	3452
360CR/Cherokee Models	2.5" x 6.875" x 3" with a notch	2 Required	3452
The following unit requires 4 catalyts (2 each of the following)			
52 WXL Model	1.875" x 6.875" x 1"	2 Required	3448
	1.875" x 6.875" x 2"	2 Required	3400
<b>ARROW (HEATILATOR)</b>			
AST-1 Model	5.66" round x 1.5"	2 Required	3502
AST-2 Model	3.5" x 5" x 2"	2 Required	3480
XLB Model	1.875" x 6.875" x 2"		3400
18/1800 Models	5.66" round x 2"	2 Required	3406
88/125 Models	3.5" x 7" x 2"	2 Required	3438
22/2200B Models	7" round x 2" with metal band	2 Required	3436
24/2420C Models	3.5" x 5" x 2"	2 Required	3480
The following unit requires 3 catalyts total.			
25/2500 Models	1.875" x 6" x 3"	2 Required AND	3426
	1.875" x 2.75" x 3"	1 Required	3428
2590 Models	5.875" x 6.875" x 2" with metal band		3506
55/5500 Models	1.875" x 6" x 3"	3 Required	3426
<b>ASHLEY (MARTIN)</b>			
AF124, AFS	1.875" x 6.875" x 2" with metal band		3402
CAHF2 Model, CC60, CKW Model	1.875" x 6.875" x 2" with metal band	2 Required	3402
AHS2/AHS2B Sahara Models	1.875" x 6.875" x 2" with metal band	2 Required	3402
<b>ASPEN</b>			
Catalytic Wood	1.875" x 6.875" x 2" with metal band	2 Required	3402
<b>ATLANTA</b>			
Huntsman	5.66" round x 3" with metal band		3414
<b>BLAZE KING</b>			
BKI	7" round x 2" with metal band		3436
Challenge II	3.5" x 12" x 2" with metal band		3442
KEJ-1100 Model	7" round x 2" with metal band		3436
KEJ-1101 Model	7" x 8.65" x 2" oval with metal band		3510
KEJ-1300 Model	7" round x 2" with metal band		3436
King Model	7" x 8.65" x 2" oval with metal band		3510
Royal 2100 Model	3.5" x 12" x 2" with metal band		3442
2200 Model	3.5" x 5" x 2"	2 Required	3480
Early Models (Before 1991)	5.66" round x 3" with metal band		3414
Late Models (After 1991)	7" round x 2" with metal band		3436



# CATALYTIC COMBUSTOR CROSS REFERENCE

Manufacturer & Model	Size of Catalyst (Each)	Order 1 Unit Unless Noted	Item #
<b>BRUNCO</b> Blazer	5.66" round x 2" with metal band		3408
<b>BUCK CORP (MINPRO)</b> 17 Carolina, 20 Model, 20 Z3 41 Model, 50 Model, 70 Model 71 Freestanding 80 Model 91 Model 26000-C Model 27000-C/CR Models Big Buck Little Buck, Regular Buck	3.875" x 6.875" x 2" with metal band 3.875" x 6.875" x 2" with metal band 5.875" x 6.875" x 2" with metal band 5.875" x 6.875" x 2" with metal band 6" x 10.625" x 2" with metal band 1.875" x 6.875" x 2" 1.875" x 6.875" x 2" 1.875" x 6.875" x 2" with metal band 1.875" x 6.875" x 2"	2 Required 2 Required	3508 3508 3506 3506 3458 3400 3400 3402 3400
The Following Unit Requires 3 Catalysts Total. Smoke Genie	1.875" x 6.875" x 2" 1.875" x 3.25" x 2"	2 Required AND 1 Required	3400 3498
The Following Unit Requires 2 Catalysts (1 Each Of The Following) 28000-C	1.875" x 6.875" x 2" 1.875" x 3.25" x 2"	1 Required AND 1 Required	3400 3498
<b>BUCKNER ENTERPRISES</b> Dove I Model	2" x 7" x 2"	2 Required	3496
<b>C&amp;D DISTRIBUTORS</b> Ultra Burn Retrofits	5.66" round x 1.5"		3502
<b>CAROLINA STOVE</b> Challenger II Model	5.66" round x 2" with metal band		3408
<b>CHIPPEWA (ENERGY KING)</b> 2000C Model 2500C Model EK145C Model, EK185C Model King Bay	2.875" x 6.875" x 2" with metal band 2.875" x 6.875" x 2" with metal band 5.66" round x 2" with metal band 2.875" x 6.875" x 2" with metal band	2 Required 2 Required	3474 3474 3408 3474
<b>CITATION (SALVO)</b> All Models	2.25" x 6.875" x 3"		3490
<b>CLAYTON MFG.</b> All Models 1992 & After All Models Before 1992	6" x 6" x 3" 5.66" round x 3" with metal band		3456 3420
<b>COLORADO</b> All	5.66" round x 2" with metal band		3408
<b>CONCORDE</b> All	5.66" round x 2" with metal band		3408
<b>CONSOLIDATED DUTCHWEST</b> 224 Small, 2460, 2461, 2462 264 Large, 288 Extra Large, Andironack Early Federal/Airtight, Rocky Mountain, Seneca Sequoia Models Before 1990 Sequoia Models 1990 & After Federal Models Before 1992 Federal Models 1992 & After	5.66" round x 2" with metal band 5.66" round x 2" with metal band 5.66" round x 1.5" with metal band 5.66" round x 2" with metal band 7" round x 2" with metal band 5.66" round x 2" with metal band 5.66" round x 1.5" with metal band 5.66" round x 2" with metal band		3408 3408 3504 3408 3436 3408 3504 3408
<b>COUNTRY COMFORT (See ORRVILLE)</b>			
<b>COUNTRY FLAME (MT VERNON)</b> 1990 B/A, BBF, E-1, R-90, B-6, B-1 E1-6, W1, E-2, Olde R Model O-2, R-6, S-1, S-6, SBF-A	6.96" x 10.6" x 2" with metal band 6.96" x 10.6" x 2" with metal band 7" round x 2" with metal band 7" round x 2" with metal band		3482 3482 3436 3436
<b>CRAFT STOVES (NATIONAL STEEL CRAFTERS)</b> CB-4830 Model, CB-4426 Model Early Insert	2.875" x 14" x 2" with metal band 1.875" x 6.875" x 2" with metal band 2.54" x 13" x 2" with metal band		3488 3402 3422



# CATALYTIC COMBUSTOR CROSS REFERENCE

Manufacturer & Model	Size of Catalyst (Each)	Order 1 Unit Unless Noted	Item #
<b>DERCO (GRIZZLY)</b>			
Achiever Model	5.66" round x 2" with metal band		3408
Early Models Before 1989	7" round x 2" with metal band		3436
Grizzly	7" round x 2" with metal band		3436
<b>DOMINION SIERRA</b>			
003 Model	1.875" x 6.875" x 2" with metal band	2 Required	3402
007 Model	3.5" x 5" x 2"	2 Required	3480
<b>DOORWOOD</b>			
Smokemaster	5.66" round x 1.5"		3502
<b>DOVRE</b>			
Heirloom 390, Horizon500cc	5.66" round x 2" with metal band		3408
All Models After 1991	5.66" round x 2" with metal band		3408
<b>EARTHSTOVE(PIONEER)</b>			
1000C	5.66" round x 3" with metal band		3420
1002C	2.5" x 15" x 2" with gasket		3430
1003C	2.5" x 15" x 3" with gasket		3434
1005	2.5" x 15" x 3" with metal band		3432
Bayview Models Before 1992	2.5" x 15" x 2" with gasket		3430
Bayview Models 1992 & After	2.5" x 15" x 3" with gasket		3434
BV400C, BV4000C Before 1990	2.5" x 15" x 2" with gasket		3430
BV400C, BV4000C	2.5" x 15" x 3" with gasket		3434
BV450C	2.5" x 15" x 3" with metal band		3432
Pioneer,	3.5" x 5" x 2"		3480
Traditions T100-SC	3.5" x 5" x 2"	2 Required	3480
TP-150 model	2.5" x 15" x 3" with gasket		3434
<b>EFEL</b>			
Symphony Model	7" round x 2.5" with metal band		3466
Harmony Model	1.875" x 6.875" x 2.5"	2 Required	3468
3280 models 1990-1995	7" round x 2.5" with metal band		3466
<b>ELM</b>			
18 and 24 Models	5.66" round x 3" with metal band		3420
<b>ELMIRA STOVES</b>			
1100 Insert	2" x 7" x 2"	2 Required	3496
1100 Freestanding	2.5" x 7.5" x 3"	2 Required	3492
1200 Stove	2" x 5" x 2"	4 Required	3514
1400	2" x 5" x 2"		3514
1401	1.875" x 6.875" x 2"		3400
1600 Insert	2" x 5" x 2"	4 Required	3514
<b>ELMWOOD(VERMONT IRON)</b>			
All	5.66" round x 3" with metal band		3414
<b>ENERGY HARVESTER</b>			
All Cat Models	5.66" round x 3" with metal band		3420
<b>ENERGY KING (CHIPPEWA)</b>			
2000C, 2500C, 2850C Silhouette Models	2.875" x 6.875" x 2" with metal band	2 Required	3474
EK145C & EK185C Models	5.66" round x 2" with metal band		3408
<b>ENGLANDER</b>			
18PC, 22PIC & 24FC Before 1989	5.66" round x 2" with gasket		3410
28CC, 28IC & 28JC Before 1989	5.66" round x 2" with gasket		3410
18PC, 22PIC & 24FC 1989 to 1992 (continued)	5.66" round x 2" with metal band		3408
<b>ENGLANDER</b>			
28CC, 28IC & 28JC 1989 to 1992	5.66" round x 2" with metal band		3408
18PC, 24AC/FC, 24IC & 24JC 1992 Up	5.66" round x 3" with gasket		3416
24ICD	5.66" round x 3" with metal band		3414
<b>EVICA</b>			
All	5.66" round x 2" with metal band		3408
<b>FPX (DK Metals)</b>			
#2 Design/44 FRA Model	3.5" x 7" x 2"	2 Required	3438
36F Model	3.5" x 12" x 2" with metal band		3442
36FA Model	3" x 7" x 3"	2 Required	3446



# CATALYTIC COMBUSTOR CROSS REFERENCE

Manufacturer & Model	Size of Catalyst (Each)	Order 1 Unit Unless Noted	Item #
<b>GEORGETOWN WOODSTOVE</b> All Catalytic Models	1.875" x 6.875" x 2"	2 Required	3400
<b>GRIZZLY (DERCO)</b> Achiever Model Early Models Before 1989	5.66" round x 2" with metal band 7" round x 2" with metal band		3408 3436
<b>HARDY MFG CO.</b> Early Models Pre 1995 H-7 / All Models After 1995	6" x 6" x 3" 3.5" x 6" x 2"	4 Required 3 Required	3456 3440
<b>HART FIREPLACE</b> All	5.66" round x 2" with metal band		3408
<b>HARMAN (VANSCO)</b> Tremont TAC 260C,340C, &520C	1.875" x 14" x 2" with metal band		3470
<b>HEATILATOR (ARROW)</b> AST-1 Model AST-2 Model	5.66" round x 1.5" 3.5" x 5" x 2"	2 Required 2 Required	3502 3480
<b>HEATILATOR (ARROW) (Continued)</b> 18/1800 Models 22/2200B Models 24/2420C Models	5.66" round x 2" 7" round x 2" with metal band 3.5" x 5" x 2"	2 Required 2 Required 2 Required	3406 3436 3480
The following unit requires 3 catalysts total. 25/2500 Models	1.875" x 6" x 3" 1.875" x 2.75" x 3"	2 Required AND 1 Required	3426 3428
2590 Models 55/5500 Models	5.875" x 6.875" x 2" with metal band 1.875" x 6" x 3"	3 Required	3506 3426
<b>HEARTH HEAT</b> Zero Clearance	1.875" x 6.875" x 2"	3 Required	3400
<b>HEARTHSTONE (NHC)</b> I, II Harvest	5.66" round x 2" with metal band 3.625" x 9" x 2" with metal band and tab		3408 3484
<b>HEATPRO</b> All except 210 210	3.625" x 9" x 2" with metal band and tab 3.625" x 12" x 2" with metal band and tab		3484 3486
<b>HEATING ENERGY</b> 2000C Trailblazer	1.875" x 6.875" x 2" with gasket	3 Required	3404
<b>HERITAGE</b> All	1.875" x 14" x 2" with metal band		3470
<b>HI-TECK</b> H2000C	1.875" x 14" x 2" with metal band		3470
<b>HIGH SIERRA (See SIERRA MFG )</b>			
<b>HIGH VALLEY</b> 1500, 2000 X-Tec , 2000 Craft, 2500 Bay	2.875" x 6.875" x 2"	2 Required	3472
<b>HORSTMANN</b> 8324 Royal Li'l Roy	5.66" round x 2" with gasket 5.66" round x 3" with metal band	2 Required	3410 3420
<b>HUTCH MFG.</b> DWI42C, HRD18C,HRS18C,HRD27C	1.875" x 6.875" x 2" with metal band	3 Required	3402
<b>JOTUL USA</b> #8, #8TDC, and Series 8 #3, #3TD and Series 3 #3C, #3TDIC, #8C Alpha Model Firelight Model #12	3.875" x 6.875" x 2" with metal band 3.875" x 6.875" x 2" with metal band 5.66" round x 2" with metal band 3.875" x 6.875" x 2" with metal band 3.875" x 6.875" x 2" with metal band		3454 3454 3408 3454 3454



# CATALYTIC COMBUSTOR CROSS REFERENCE

Manufacturer & Model	Size of Catalyst (Each)	Order 1 Unit Unless Noted	Item #
<b>KING (MARTIN IND.)</b>			
CWK, KW Insert, K13, K32 / K31C	1.875" x 6.875" x 2" with metal band	2 Required	3402
KHS2	1.875" x 6.875" x 2" with metal band	2 Required	3402
KTC Circulator	1.875" x 6.875" x 2" with metal band	2 Required	3402
MCF2 Insert	1.875" x 6.875" x 2" with metal band	3 Required	3402
<b>KINGSMAN</b>			
1414 Model	1.875" x 6.875" x 2" with metal band	2 Required	3402
<b>KUMA (See MARK'S CUSTOM)</b>			
<b>LANCASTER FAB</b>			
C-2024 Golden Eagle	5.66" round x 2" with metal band		3408
<b>LEADERS</b>			
3200C	5.66" round x 3" with gasket		3416
<b>LENNOX</b>			
Villa Vista	2.625" x 15" x 3"		3412
<b>LILLY STOVES</b>			
All Models	7" round x 2" with metal band		3436
<b>LONG MFG.</b>			
2058A Silent Flame	1.875" x 6.875" x 2"	2 Required	3400
2062	1.875" x 6.875" x 2"	2 Required	3400
<b>MAHONING MFG.</b>			
All	6" x 10.625" x 2" with metal band		3458
<b>MARK'S CUSTOM (KUMA)</b>			
Kuma K300,K400,K-100B	2.5" x 7.5" x 3"	2 Required	3492
<b>MARTIN (KING MODELS)</b>			
CWK, KW Insert, K32 / K31C	1.875" x 6.875" x 2" with metal band	2 Required	3402
KHS2, KTC Circulator	1.875" x 6.875" x 2" with metal band	2 Required	3402
MCF2 Insert	1.875" x 6.875" x 2" with metal band	3 Required	3402
<b>MARTIN (ASHLEY, ATLANTA, WARM MORNING)</b>			
2402, 8803, ASH1, ASH1B, ATHS, BTHS	1.875" x 6.875" x 2" with metal band		3402
AHS2,AHS2B,Sahara Models	1.875" x 6.875" x 2" with metal band	2 Required	3402
CAHF2B, CAW, CC 60,CKW	1.875" x 6.875" x 2" with metal band	2 Required	3402
CAH F2 Model	1.875" x 6.875" x 2" with metal band	3 Required	3402
<b>MONARCH STOVE</b>			
VH405X	5.66" round x 3" with gasket		3416
<b>NATIONAL STEEL CRAFTERS (See CRAFT STOVES)</b>			
<b>NU-TEC</b>			
AM40 / Amity	1.875" x 7" x 3"	2 Required	3478
<b>OAK RIDGE (WEBSTER)</b>			
All Models	5.66" round x 2" with metal band		3408
<b>OK DOKE LTD.</b>			
Sweetheart/ 800/ 800 XL	1.875" x 14" x 2" with metal band		3470
<b>OLIX AIR-FLO</b>			
All Models	5.66" round x 3" with metal band		3420
<b>OREGON WOODSTOVE</b>			
#1 Design and Model OS/1	1.875" x 6" x 3"	3 Required	3426
<b>ORLEY MFG.</b>			
All Models	2.5" x 7.5" x 3"	3 Required	3492
<b>ORRVILLE (COUNTRY COMFORT)</b>			
250CC Model	5.66" round x 3" with gasket		3416
325CC Model	3.875" x 6.875" x 3" with metal band		3494
350CC Before 7/1/90	3.875" x 6.875" x 2" with metal band		3454
350CC After 7/1/90	3.875" x 6.875" x 3" with metal band		3494



# CATALYTIC COMBUSTOR CROSS REFERENCE

Manufacturer & Model	Size of Catalyst (Each)	Order 1 Unit Unless Noted	Item #
<b>PANDA STOVE</b> All Models	5.66" round x 2" with metal band		3408
<b>REGES METAL</b> All Models	1.875" x 6.875" x 2" with metal band	2 Required	3402
<b>RITEWAY</b> Unicorn Retrofit	5.66" round x 3" with metal band		3420
<b>ROYAL SCOT</b> All	5.66" round x 2" with metal band		3408
<b>RSF ENERGY</b> 2000 Opel F75R, F65R, F85R Furnace F101 G225	3.625" x 12" x 2" with metal band and tab 3.5" x 4" x 3" 3.5" x 4" x 3" 2.5" x 15" x 3" with gasket	2 Required 3 Required	3476 3462 3462 3434
<b>RUPP</b> #2 Stove	5.66" round x 2" with metal band		3408
<b>RUSSO</b> The Following Units Require 3 Catalysts Total. 2 Different Catalysts As Follows, GV30 or GV30C	1.875" x 6.875" x 2" 1.875" x 3.25" x 2"	2 Required AND 1 Required	3400 3498
1WCF	5.66" round x 3"		3418
2WCF	5.66" round x 3"		3418
3GVC	5.66" round x 3"		3418
CW-75	1.875" x 6.875" x 2"	2 Required	3400
GV-21	1.875" x 6.875" x 2"	2 Required	3400
GV30S	2.875" x 6.875" x 2"	2 Required	3472
GVC	2.875" x 6.875" x 2"	2 Required	3472
W-18C	1.875" x 6.875" x 2"	2 Required	3400
W-120	1.875" x 6.875" x 2"	2 Required	3400
W-1125	1.875" x 6.875" x 2"	2 Required	3400
W-130	1.875" x 6.875" x 2"	2 Required	3400
<b>SALVO</b> (See CITATION)			
<b>SCANDIA (FRANKLIN CAST)</b> 2000 310 & 310C Concorde	5.66" round x 2" with metal band 5.66" round x 3" with gasket 5.66" round x 3"		3408 3416 3418
<b>SEARS</b> All	5.66" round x 2" with metal band		3408
<b>SECURITY CHIMNEY</b> BIS Panorama	2.625" x 15" x 3"		3412
<b>SENECA</b> All	5.66" round x 2" with metal band		3408
<b>SHENANDOAH</b> CAF-77 Model CFH Model CH-75 Model CH77 Model (continued)	3.875" x 6.875" x 2" with metal band 3.875" x 6.875" x 2" with metal band 3.875" x 6.875" x 2" with metal band 5.66" round x 2" with metal band		3454 3454 3454 3408
<b>SHENANDOAH</b> (continued) CH84 Model CH85 Model R-60 R-65	3.875" x 6.875" x 2" with metal band 3.875" x 6.875" x 2" with metal band 5.66" round x 2" with metal band 5.66" round x 2" with metal band		3454 3454 3408 3408
<b>SIERRA MFG (HIGH SIERRA)</b> All Models (Pre 1989) AK-18 FIR Sweet Home 4700 Ambassador 4700 TE Model (continued next page)	5.66" round x 2" with metal band 5.66" round x 2" with metal band 2" x 7" x 2" 3.5" x 6" x 2" with metal band	3 Required	3408 3408 3496 3512





# CATALYTIC COMBUSTOR CROSS REFERENCE

Manufacturer & Model	Size of Catalyst (Each)	Order 1 Unit Unless Noted	Item #
<b>SIERRA MFG (HIGH SIERRA) -continued</b>			
7000C/CAT Models	5.66" round x 2" with metal band		3408
8000T/TE/C Models (option 1)	3.5" x 5" x 2"	2 Required	3480
8000T/TE/C Models (option 2)	3.5" x 6" x 2" with metal band	2 Required	3512
<b>SOTZ</b>			
All	5.66" round x 1.5" with metal band		3504
<b>SQUIRE/COX</b>			
5500	5.66" round x 1.5" with metal band		3504
<b>SUBURBAN</b>			
Woodmaster W6-88WC	5.66" round x 3" with metal band		3420
Woodchief W6-88C	5.66" round x 3" with metal band		3420
<b>SWEET HOME</b>			
AKI (Pre 1989)	5.66" round x 2" with metal band		3408
<b>TIMBEREZE</b>			
Catalytic Model	5.66" round x 2" with metal band		3500
<b>TIMBERLINE</b>			
All	5.66" round x 2" with metal band		3408
<b>TRAVIS INDUSTRY</b>			
Early Lopi	5.66" round x 2" with metal band		3408
Lopi	2.54" x 13" x 2" with metal band		3422
<b>US STOVE</b>			
1006	2.5" x 15" x 3" with metal band		3432
1007	5.66" round x 1.5"		3502
1008, 4500 Insert	1.875" x 14" x 2" with metal band		3470
Wonderwood Series (2821, 2921, 6021, 2941, 6000)	5.66" round x 2" with metal band		3408
<b>VANSCO (See HARMAN)</b>			
<b>VERMONT CASTINGS</b>			
1280 Winter Warm	2.54" x 13" x 2" with metal band		3422
2100 / 2140 / 2170 / 2190 / Defiant Encore	2.54" x 13" x 2" with metal band		3422
1308 Intrepid / Intrepid II	2.54" x 6.5" x 2" with metal band		3424
0041 Resolute Acclaim	2.54" x 13" x 2" with metal band		3422
Consolidated Dutchwest	5.66" round x 2" with metal band		3408
Seneca	5.66" round x 2" with metal band		3408
Sequoia Models Before 1990	7" round x 2" with metal band		3436
Sequoia Models 1990 & After	5.66" round x 2" with metal band		3408
<b>VESTAL</b>			
All Models	1.875" x 6.875" x 2" with metal band	3 Required	3402
<b>WESCO INDUSTRIES</b>			
Marquis 800/800XL	1.875" x 14" x 2" with metal band		3470
Magnum Designer, 900 Models	2.5" x 15" x 3" with metal band		3432
<b>WEBSTER (See OAK RIDGE)</b>			
<b>WET IND.</b>			
C-110 Heatpro	3.625" x 9" x 2" with metal band and tab		3484
C-210 Heatpro	3.625" x 12" x 2" with metal band and tab		3486
<b>WOODCHUCK</b>			
2900, 4000	7" round x 2" with metal band		3436
<b>WOODSTOCK SOAPSTONE</b>			
201 Fireview	3.5" x 4" x 2"	2 Required	3460
205 Fireview	4.625" x 4.625" x 2"	2 Required	3516
200 Classic	3.5" x 4" x 2"	2 Required	3460
202 Palladian	3.625" x 4.625" x 2"	2 Required	3464
204 Keystone	3.625" x 4.625" x 2"	2 Required	3464
Older Models	5.66" round x 2" with metal band		3500
<b>XTEC</b>			
X-TEC 2000	2.875" x 6.875" x 2"	2 Required	3472

